

The image shows a collection of medical catheters and accessories. In the foreground, there are several light blue and white catheters with different connectors. One prominent catheter has a large, white, multi-lumen connector at the bottom left. Another catheter has a green connector at the top. The catheters are coiled and arranged on a light-colored surface. The background is slightly blurred, showing more medical equipment.

Accessories For Seldinger Catheters, Measurement And Infusion

Introducer - INTRADESILET®

We provide kits including dilator with precision shaped tip, radiopaque sheath, both made of medical PP/PE, with homogeneous transition from dilator to sheath, puncture needle 18 G, guide wire with flexible, straight or J-tip. The INTRADESILET®-INTRADUCER includes an haemostatic valve and a sideport with stopcock. INTRADESILET®-PEEL is especially designed for the displacement of the introducer-set without changing the localization of the introduced catheter (permanent pacing leads, balloon catheters, drainage catheters, ...). The risk of kinking or traumatic effects at the insertion point is minimized by it's optimized design.



REF	French Size	Sheath Length	Dilator Length	Guide wire	Needle	
300 505	5	12 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Standard
300 506	6	12 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Standard
300 507	7	12 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Standard
300 508	8	12 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Standard
300 607	7	14 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Peel
300 608	8	14 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Peel
300 609	9	14 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Peel
300 610	10	14 cm	18 cm	0.035" - 45 cm	18 G - 7 cm	Peel
300 805	5	11 cm	15.5 cm	0.035" - 50 cm	18 G - 7 cm	with valve
300 806	6	11 cm	15.5 cm	0.038" - 50 cm	18 G - 7 cm	with valve
300 807	7	11 cm	15.5 cm	0.038" - 50 cm	18 G - 7 cm	with valve
300 808	8	11 cm	15.5 cm	0.038" - 50 cm	18 G - 7 cm	with valve

Box: 10 pcs.

Guide wires

All guide wires are made of stainless steel with exactly rounded tip. They are available with fixed or movable core. The tip is flexible at one or both ends, with straight or J-tip.


REF	Size	Length	Type
470 075	0.035" / 0.89 mm	70 cm	Straight
470 155	0.035" / 0.89 mm	150 cm	Straight
471 075	0.035" / 0.89 mm	70 cm	J-Tip
471 155	0.035" / 0.89 mm	150 cm	J-Tip
472 155	0.035" / 0.89 mm	150 cm	J-Tip - PTFE coated
472 156	0.038" / 0.96 mm	150 cm	J-Tip - PTFE coated
473 155	0.035" / 0.89 mm	150 cm	Straight - PTFE coated
473 156	0.038" / 0.96 mm	150 cm	Straight - PTFE coated

Box: 50 pcs.

Other lengths and sizes for guide wires and introducers on enquiry.

CONNECATH

The connection line is made of PE (polyethylene) or medical PVC with precision lumen for blood pressure measurement and blood sampling. No hydrothermal changes. No leakages due to line distortions.



REF	Size/Length	Other spec.	REF	Size/Length	Other spec.
PE			Connecath with stopcock (PVC)		
401 xxx (m/f)	2.0 x 1.0 mm / 10-200 cm	14 bar	451 015	2.5 x 1.5 mm / 15 cm	Red, 2.5 bar
402 xxx (m/f)	3.0 x 1.8 mm / 10-200 cm	14 bar	452 015	2.5 x 1.5 mm / 15 cm	Blue, 2.5 bar
Box: 50 pcs.			452 070	2.5 x 1.5 mm / 70 cm	Blue, 2.5 bar

Other sizes and lengths on enquiry. Lengths from 10-200cm. The last 3 figures correspond to the length, i.e. 401 030 for 30 cm

STOPCOCKS

The intra-stopcock is suitable for normal infusion use and accurate frequency measurement. It is transparent, lipid-resistant, resistant against cytostatica and pressure-resistant till 2.0 bar. The luer-lock-connector provides a fast and sure connection.

REF	Description	REF	Description
611 010	2-way-stopcock, LL	621 312	3-way-stopcock, red 360°
621 311	3-way-stopcock, white 360°	621 313	3-way-stopcock, blue 360°

Box: 50 pcs.

Accessories

REF	Description	REF	Description
630 001	Filter, 96 h Gelmann with LL connectors 0.2 µm	011 000	Tubing adaptor, variable connection adaptor
630 002	Lipid Filter with LL connectors 1.2 µm	801 001	Change adaptor, male/male rotating LL
Box: on enquiry		801 002	Change adaptor, female/female

Manifold / Manifold Systems

The manifold is a one-piece moulding production and has a holding plate for easy and secure attachment to the IV pole with a special clamp. They are transparent, lipid-resistant and pressure-resistant till 2 bar. The stopcock handles are with different colours to differentiate the monitoring lines. If needed also available in one colour.

Our manifold systems can be composed to the customer's specific requirements, also as systems including filters, three-way-stopcocks, etc. They are transparent and pressure-resistant till 2 bar. Extension tubes are available male/female or male/male combinations in different lengths.



REF	Description
701 030	3-way m/f luer-lock with one lateral male port, all other ports female
701 050	5-way m/f luer-lock with one lateral male port, all other ports female
701 130	3-way f/f luer-lock all ports female
701 150	5-way f/f luer-lock all ports female

Box: 50 pcs.

intra-tumescence-kit

Distributor system for subcutaneous application of thinned down local anesthetic solutions.

The Tumescence-Local-Anesthesia (TLA) is a regional anesthesia of the skin and of subcutaneous fat tissue by a direct infiltration of big volumes of a thinned local anesthetic. The thought, to combine the introduction of fluid with anesthetic means, that during this intervention you can do without risk full general anesthesia, which is normally needed with siphoning greases. The intra-tumescence-kit was specially conceived as distributor system to inject large amounts of thinned solution (up to 6 liters), i.e. with Liposuctions. By parallel use of several cannulas, connected to intra-Tumescence-Set, the duration of infiltration gets abbreviated. The liquid at the single cannulas is promoted with a relatively low speed. This is to avoid a too quick print construction, which gets frequent of patients as felt unpleasantly.

REF	Description
713 999	3-gang Kit, m/f with colored cock and connected infiltration lines (75 cm)

Box: 50 pcs.

Further versions on enquiry